

DEPRESSION CODING FACT SHEET FOR PRIMARY CARE CLINICIANS

Current Procedural Terminology (CPT®) (Procedure) Codes

Initial assessment usually involves a lot of time determining the differential diagnosis, a diagnostic plan, and potential treatment options. Therefore, most pediatricians will report either an office or outpatient evaluation and management (E/M) code using time as the key factor^a or a consultation code^b for the initial assessment.

Physician Evaluation and Management Services

99201	Office or other outpatient visit, new ^c patient; self		
	limited or minor problem, 10 min.		

99203 moderate severity problem, 30 min.

99204 moderate to high severity problem, 45 min.

high severity problem, 60 min.

99211 Office or other outpatient visit, *established* patient; minimal problem, 5 min.

99212 self limited or minor problem, 10 min.

99213 low to moderate severity problem, 15 min.

99214 moderate severity problem, 25 min.

99215 moderate to high severity problem, 40 min.

99241 Office or other outpatient *consultation*, new or established patient; self-limited or minor problem,15 min.

99242 low severity problem, 30 min.

99243 moderate severity problem, 45 min.

moderate to high severity problem, 60 min.

99245 moderate to high severity problem, 80 min.

^aTime may be used as the key or controlling factor when greater than 50% of the total physician face-to-face time is spent in counseling or coordination of care (*Current Procedural Terminology 2010*, American Medical Association, page 10).

^bNOTE: Use of these codes requires the following:

- 1) Written or verbal request for consultation is documented in the patient chart.
- 2) Consultant's opinion as well as any services ordered or performed are documented in the patient chart.
- 3) Consultant's opinion and any services that are performed are prepared in a written report, which is sent to the requesting physician or other appropriate source (*Note:* patients/parents may not initiate a consultation). For more information on consultation code changes for 2010, see www.aap.org/moc/loadsecure.cfm/reimburse/PositiononMedicareConsultationPolicy.doc.
- ^cA new patient is defined as one who has not received any face-to-face professional services from a physician, or another physician of the same specialty who belongs to the same group practice, within the past 3 years (*Principles of CPT Coding* [5th edition], American Medical Association, 2007).

+99354 Prolonged physician services in office or other outpatient setting, with direct patient contact; first hour (use in conjunction with time-based codes 99201–99215, 99241–99245, 99301–99350)

+99355 each additional 30 min. (use in conjunction with **99354**)

- Used when a physician provides prolonged services beyond the usual service (ie, beyond the typical time).
- · Time spent does not have to be continuous.
- + Codes are add-on codes, meaning they are reported separately in addition to the appropriate code for the service provided (eg, office or other outpatient E/M codes, 99201–99215).
- Prolonged service of less than 15 minutes beyond the first hour or less then 15 minutes beyond the final 30 minutes is not reported separately.

Physician Non-Face-to-Face Services

99339 Care Plan Oversight—Individual physician supervision of a patient (patient not present) in home, domiciliary or rest home (e.g., assisted living facility) requiring complex and multidisciplinary care modalities involving regular physician development and/or revision of care plans, review of subsequent reports of patient status, review of related laboratory and other studies, communication (including telephone calls) for purposes of assessment or care decisions with health care professional(s), family member(s), surrogate decision maker(s) (e.g., legal guardian) and/or key caregiver(s) involved in patient's care, integration of new information into the medical treatment plan and/or adjustment of medical therapy, within a calendar month; 15-29 minutes

99340 30 minutes or more

99358 Prolonged physician services without direct patient contact; first hour <u>NOTE</u>: This code is no longer an "add-on" service and can be reported alone.

+99359 each additional 30 min. (+ designated add-on code, use in conjunction with 99358)

HEALTH CARE FINANCING Page I of 6

services

DEPK	ESSION CODING FACT SHEET FOR PRIMART CARE CLINIC	ZIANS	
99367	Medical team conference by physician with interdisciplinary team of healthcare professionals,	90810	Individual psychotherapy, interactive, using play equipment, or other mechanisms, 20-30 min face-
	patient and/or family not present, 30 minutes or		to-face with patient;
	more	90811	with medical evaluation and management
99441	Telephone evaluation and management to patient,		services
	parent or guardian not originating from a related	90812	Individual psychotherapy, interactive, 45-50 min
	E/M service within the previous 7 days nor leading		face-to-face with patient;
	to an E/M service or procedure within the next	90813	with medical evaluation and management
	24 hours or soonest available appointment; 5-10		services
	minutes of medical discussion	00014	Individual combatheres interesting 75 00 min
9442	11-20 minutes of medical discussion	90814	Individual psychotherapy, interactive, 75-80 min face-to-face with patient;
9443	21-30 minutes of medical discussion	90815	with medical evaluation and management
9444	Online evaluation and management service	70013	services
99444	provided by a physician to an established patient,		SCIVICES
	guardian or health care provider not originating	90846	Family psychotherapy (without patient present)
	from a related E/M service provided within the	90847	Family psychotherapy (conjoint psychotherapy)
	previous 7 days, using the internet or similar	70047	(with patient present)
	electronic communications network		
		90849	Multiple-family group psychotherapy
Psychiatric Diagnostic or Evaluative		90857	Interactive group psychotherapy
	view Procedures		
0801	Psychiatric diagnostic interview examination		r Psychiatric Services/Procedures
0802	Interactive psychiatric diagnostic interview	90862	Pharmacologic management, including
70002	examination using play equipment, physical devices, language interpretation, or other		prescription, use, and review of medication with more than minimal medical psychotherapy
	. l.	41	
-	notherapy	C C	projective tests, and other accumulated data for
0804	Individual psychotherapy, 20-30 min face-to-face		medical diagnostic purposes
0005	with patient;	00007	Intermedation on analysis of society of
0805	with medical evaluation and management	90887	Interpretation or explanation of results of
90806	Individual psychotherapy, 45-50 min face-to-face		psychiatric, other medical exams, or other accumulated data to family or other responsible
	with patient;		persons, or advising them how to assist patient
0807	with medical evaluation and management		persons, or advising them now to assist patient
	services	90889	Preparation of reports on patient's psychiatric

services

90809 Preparation of reports on patient's psychiatric
status, history, treatment, or progress (other
than for legal or consultative purposes) for other
physicians, agencies, or insurance carriers

HEALTH CARE FINANCING Page 2 of 6

Psychological Testing

- 96101 Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, e.g., MMPI, Rorschach, WAIS), per hour of the *psychologist's or physician's* time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report
- 96102 Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, e.g., MMPI, Rorschach, WAIS), with *qualified health care professional* interpretation and report, administered by technician, per hour of technician time, face-to-face
- 96103 Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, e.g., MMPI, Rorschach, WAIS), administered by a computer, with qualified health care professional interpretation and report
- 96105 Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, e.g., Boston Diagnostic Aphasia Examination) with interpretation and report, per hour
- 96110 Developmental testing; limited (eg, Developmental Screening Test II, Early Language Milestone Screen), with interpretation and report
- 96111 Developmental testing; extended (includes assessment of motor, language, social, adaptive, and/or cognitive functioning by standardized instruments) with interpretation and report

Nonphysician Provider (NPP) Services

- 99366 Medical team conference with interdisciplinary team of healthcare professionals, face-to-face with patient and/or family, 30 minutes or more, participation by a nonphysician qualified healthcare professional
- 99368 Medical team conference with interdisciplinary team of healthcare professionals, patient and/ or family not present, 30 minutes or more, participation by a nonphysician qualified healthcare professional
- 96150 Health and behavior assessment performed by nonphysician provider (health-focused clinical interviews, behavior observations) to identify psychological, behavioral, emotional, cognitive or social factors important to management of physical health problems, 15 min., initial assessment
- 96151 re-assessment
- 96152 Health and behavior intervention performed by nonphysician provider to improve patient's health and well-being using cognitive, behavioral, social, and/or psychophysiological procedures designed to ameliorate specific disease-related problems, individual, 15 min.
- 96153 group (2 or more patients)
 96154 family (with the patient present)
 96155 family (without the patient present)

Non-Face-to-Face Services: NPP

- 98966 Telephone assessment and management service provided by a qualified nonphysician healthcare professional to an established patient, parent or guardian not originating from a related assessment and management service provided within the previous seven days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
- 98967 11-20 minutes of medical discussion 98968 21-30 minutes of medical discussion

HEALTH CARE FINANCING Page 3 of 6

98969 Online assessment and management service provided by a qualified nonphysician healthcare professional to an established patient, parent, guardian, or health care provider not originating from a related assessment and management service provided within the previous seven days nor using the internet or similar electronic communications network

Miscellaneous Services

99071 Educational supplies, such as books, tapes or pamphlets, provided by the physician for the patient's education at cost to the physician

International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)/Diagnostic and Statistical Manual for Primary Care (DSM-PC) (Diagnosis) Codes

- Use as many diagnosis codes that apply to document the patient's complexity and report the patient's symptoms or adverse environmental circumstances.
- Once a definitive diagnosis is established, report the appropriate definitive diagnosis code(s) as the primary code, plus any other symptoms that the patient is exhibiting as secondary diagnoses.
- Counseling diagnosis codes can be used when patient is present or when counseling the parent(s) or guardian(s) when the patient is not physically present.
- **291.89** Other specified alcohol-induced mental disorders (alcohol induced mood disorder)
- **292.84** Drug-induced mood disorder (Depressive state induced by drugs) (Use E code to identify drug)
- **292.85** Drug-induced sleep disorders (Depressive state induced by drugs) (Use E code to identify drug)
- **296.20** Major depressive disorder, single episode; unspecified
- **296.21** Major depressive disorder, single episode; mild
- 296.22 Major depressive disorder, single episode; moderate
- **296.23** Major depressive disorder, single episode; severe, without mention of psychotic behavior
- **296.24** Major depressive disorder, single episode; severe, specified as with psychotic behavior
- **296.25** Major depressive disorder, single episode; in partial or unspecified remission

- **296.26** Major depressive disorder, single episode; in full remission
- **296.30** Major depressive disorder, recurrent episode; unspecified
- 296.31 Major depressive disorder, recurrent episode; mild
- **296.32** Major depressive disorder, recurrent episode; moderate
- **296.33** Major depressive disorder, recurrent episode; severe, without mention of psychotic behavior
- **296.34** Major depressive disorder, recurrent episode; severe, specified as with psychotic behavior
- **296.35** Major depressive disorder, recurrent episode; in partial or unspecified remission
- **296.36** Major depressive disorder, recurrent episode; in full remission
- 296.80 Manic-depressive psychosis, unspecified
- **296.81** Atypical manic disorder
- 296.90 Unspecified episodic mood disorder
- **298.0** Depressive type psychosis
- 300.0 Anxiety state, unspecified
- 300.02 Generalized anxiety disorder
- **300.11** Conversion disorder
- 300.20 Phobia, unspecified
- **300.3** Obsessive compulsive disorder
- **300.4** Neurotic depression; anxiety depression, dysthymic disorder
- 300.5 Neurasthenia
- 300.9 Unspecified nonpsychotic mental disorder
- **301.12** Chronic depressive personality disorder

Substance Dependence/Abuse

For the following codes (303–305), fifth-digit subclassification is as follows:

- 0 unspecified
- 1 continuous
- 2 episodic
- 3 in remission

Dependence

- **303.9X** Other and unspecified alcohol dependence
- **304.3X** Cannibis dependence
- **304.4X** Amphetamine and other psychostimulant dependence
- **304.9X** Unspecified drug dependence

HEALTH CARE FINANCING Page 4 of 6

Nondependent Abuse of Drugs			Acute reaction to stress; predominant psychomotor
305.0X	Alcohol abuse		disturbance
305.1X	Tobacco use disorder	308.3	Other acute reactions to stress
305.2X	Cannabis abuse	308.4	Mixed disorders as a reaction to stress
305.7X	Amphetamine or related acting sympathomimetic	308.9	Unspecified acute reaction to stress
	abuse	309.0	Brief depressive reaction; adjustment disorder with
305.8X	Antidepressant type abuse		depressed mood
305.9X	Other mixed, or unspecified drug abuse (eg,	309.1	Prolonged depressive reaction
	caffeine intoxication, laxative habit)	309.21	Separation anxiety disorder; anaclitic depression
305.7	Amphetamine or related acting sympathomimetic	309.24	Adjustment disorder with anxiety
	abuse	309.28	Adjustment reaction with mixed emotional
305.9	Other, mixed or unspecified drug abuse		features; anxiety and depression
		309.9	Unspecified adjustment reaction
307.20	Tic disorder, unspecified	310.2	Postconcussion syndrome
307.21	Transient tic disorder	310.8	Other specified nonpsychotic mental disorders
307.22	Chronic motor or vocal tic disorder		following organic brain damage
307.23	Tourette's disorder	310.9	Unspecified nonpsychotic mental disorders
307.40	Nonorganic sleep disorder, unspecified		following organic brain damage
307.41	Transient disorder of initiating or maintaining sleep	311	Depressive disorder, NEC
307.42	Persistent disorder of initiating or maintaining sleep	312.30	Impulse control disorder, unspecified
307.46	Sleep arousal disorder	313.1	Misery and unhappiness disorder
307.49	Other sleep disorder	313.3	Relationship problems
307.50	Eating disorder, unspecified	313.9	Unspecified emotional disturbance of childhood or
307.52	Pica		adolescence
307.59	Other and unspecified disorders of eating; loss of	314.0	Attention deficit disorder, without hyperactivity
	appetite of nonorganic origin	314.01	Attention deficit disorder, with hyperactivity
307.6	Enuresis, nonorganic	315.34	Speech and language developmental delay due to
307.7	Encopresis, nonorganic		hearing loss
307.80	Psychogenic pain, site unspecified	315.39	Other developmental speech or language disorder
307.81	Tension headache	317	Mild mental retardation
307.89	Other psychalgia	318.0	Moderate mental retardation
307.9	Other and unspecified special symptoms or	318.1	Severe mental retardation
	syndromes, not elsewhere classified (NEC);	318.2	Profound mental retardation
200.0	behavior activities	319	Unspecified mental retardation
308.0	Acute reaction to stress; predominant disturbance		Sleep disturbance, unspecified
200.1	of emotions	780.79	Other malaise and fatigue
308.1	Acute reaction to stress; predominant disturbance	780.99	Other general symptoms
	of consciousness	789.00	Abdominal pain, unspecified site
		984.9	Toxic effect of lead, unspecified lead compound
			(Use E code in addition)

HEALTH CARE FINANCING Page 5 of 6

NOTE: The following diagnosis codes are used to deal with occasions when circumstances other than a disease or an injury are recorded as diagnoses or problems. Some carriers may request supporting documentation for the reporting of V codes. These codes may also be reported in addition to the primary *ICD-9-CM* code to list any contributing factors or those factors that influence the person's health status but are not in themselves a current illness or injury.

- **V11.1** Personal history of affective disorders
- V11.8 Personal history of other mental disorders
- **V11.9** Personal history of unspecified mental disorders
- V12.1 Personal history of a nutritional deficiency
- V12.2 Personal history of endocrine, metabolic, and nutritional disorders
- **V12.3** Personal history of diseases of blood and blood-forming organs
- **V12.40** Unspecified disorder of the neurological system and sense organs
- **V12.49** Other disorders of the nervous system and sense organs
- V12.69 Other disorders of the respiratory system
- V12.79 Other diseases of the digestive system
- **V12.9** Personal history of allergy to unspecified medicinal agent
- V13.6 Congenital malformations
- **V15.0** Allergy, other than to medicinal agents
- V15.41 History of physical abuse
- V15.42 History of emotional abuse
- **V15.49** Other personal history presenting hazards to health; psychological trauma
- V15.52 History of traumatic brain injury
- V15.81 Noncompliance with medical treatment
- V15.82 History of tobacco use

HEALTH CARE FINANCING

- V15.86 Contact with and (suspected) exposure to lead
- V17.0 Family history of psychiatric disorder
- V18.2 Family history of anemia
- V18.4 Family history of mental retardation
- V40.2 Mental and behavioral problems; depression
- V60.0 Lack of housing
- **V60.1** Inadequate housing
- V60.2 Inadequate material resources
- V60.81 Foster care
- **V61.01** Family disruption due to family member on military deployment
- **V61.02** Family disruption due to return of family member from military deployment
- **V61.03** Family disruption due to divorce or legal separation
- V61.04 Family disruption due to parent-child estrangement
- **V61.05** Family disruption due to child in welfare custody
- **V61.06** Family disruption due to child in foster care or in care of non-parental family member
- V61.07 Family disruption due to death of family member
- **V61.08** Family disruption due to other extended absence of family member
- V61.09 Other family disruption
- **V61.41** Alcoholism in family
- V61.42 Substance abuse in family
- V62.4 Social maladjustment
- V62.5 Legal circumstances
- **V62.89** Other psychological or physical stress, NEC
- V65.49 Other specified counseling; depression variation
- **V79.0** Special screening for depression
- **V79.2** Special screening for mental retardation
- **V79.8** Special screening for other specified mental disorders and developmental handicaps
- **V79.9** Unspecified mental disorder and developmental handicap

Current Procedural Terminology © 2010 American Medical Association. All Rights Reserved.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of Addressing Mental Health Concerns in Primary Care: A Clinician's Toolkit. Copyright © 2010

American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.

American Academy of Pediatrics

